


Quick TeeJet® Single Nozzle Bodies for Dry Booms





List Price
All Sizes
\$ 3.96

QJ100 Series Quick TeeJet Nozzle Body

- Hose barb sizes for 3/8", 1/2" or 3/4" I.D. hose.
- Maximum operating pressure of 125 PSI (9 bar).

	PART NUMBER SINGLE	TO FIT HOSE I.D.
	18635-111-406-NYB	3/8"
18638-111-540-NYB	1/2"	
18719-111-785-NYB	3/4"	

	PART NUMBER DOUBLE	TO FIT HOSE I.D.
	18636-112-406-NYB	3/8"
18639-112-540-NYB	1/2"	
18720-112-785-NYB	3/4"	

	PART NUMBER TRIPLE	TO FIT HOSE I.D.
	18637-113-406-NYB	3/8"
18640-113-540-NYB	1/2"	
18721-113-785-NYB	3/4"	

QJ39685 Series Quick TeeJet Nozzle Body

Features:

- Use with Quick TeeJet caps.
- Hose shanks available in double or single (left or right) for 1/2" hose I.D.
- TeeJet ChemSaver drip-free shutoff.



Single Left
QJ39685-1L-500-NYB


List Price
\$ 6.82





List Price
All Sizes
\$ 10.10

QJ200 Series Diaphragm Check Valve Quick TeeJet Nozzle Assemblies

- Available with single, double or triple hose shanks for 3/8", 1/2" and 3/4" I.D. hose.
- Drip-free shutoff with TeeJet ChemSaver®. Opens at 10 PSI (0.7 bar). Standard diaphragm is EPDM with Viton® optional.
- Maximum operating pressure of 125 PSI (9 bar).

	PART NUMBER SINGLE	TO FIT HOSE I.D.
	19349-211-406-NYB	3/8"
19349-211-540-NYB	1/2"	
19349-211-785-NYB	3/4"	

	PART NUMBER DOUBLE	TO FIT HOSE I.D.
	19350-212-406-NYB	3/8"
19350-212-540-NYB	1/2"	
19350-212-785-NYB	3/4"	

	PART NUMBER TRIPLE	TO FIT HOSE I.D.
	19351-213-406-NYB	3/8"
19351-213-540-NYB	1/2"	
19351-213-785-NYB	3/4"	

- Made of corrosion-resistant materials.
- Maximum operating pressure of 300 PSI (20 bar).



Double
QJ39685-2-500-NYB

List Price
\$ 6.82

List Price
Please Apply Discount





List Price
All Sizes
\$8.34

QJ300 Series Diaphragm Check Valve Quick TeeJet Nozzle Assemblies

- Low profile design allows maximum protection against damage.
- Available with single and double hose shanks for 3/8", 1/2" and 3/4" I.D. hose.
- Drip-free shutoff with TeeJet ChemSaver®. Opens at 10 PSI (0.7 bar). Standard diaphragm is EPDM with Viton optional.
- Maximum operating pressure of 300 PSI (20 bar).

QJ300 Series is also available in polypropylene. Maximum operating pressure is 150 PSI (10 bar).

	PART NUMBER SINGLE	TO FIT HOSE I.D.
	22251-311-375-NYB	3/8"
22251-311-500-NYB	1/2"	
22251-311-750-NYB	3/4"	

	PART NUMBER DOUBLE	TO FIT HOSE I.D.
	22252-312-375-NYB	3/8"
22252-312-500-NYB	1/2"	
22252-312-750-NYB	3/4"	

Note: See page 48 for vari-spacing clamps. See page 57 for Quick TeeJet caps.

- QJ39685 uses Nylon nut instead of brass nut.

Note: Support is supplied by customer.



Single Right
QJ39685-1R-500-NYB

List Price
\$ 6.82

Nozzle Bodies, Body Clamps, Nozzles

Quick TeeJet® Multiple Nozzle Body Assemblies for Dry Booms



QJ360C Nozzle Body Series for Dry Booms

- Available with either 3, 4 or 5 spray positions for easy change of spray tips or quick boom flushing.
- Positive shutoff between each spray position.
- Maximum operating pressure of 300 PSI (20 bar).
- Available in 1/2", 3/4" or 1" single or double hose shanks.
- Includes ChemSaver® diaphragm check valve for drip-free shutoff.
- Durable design mounts body high on boom structure for maximum protection.
- Standard EPDM diaphragm with Viton® available as an option.
- 2.25 GPM (8.5 l/min) with 5 PSI (0.34 bar) pressure drop.



List Price
Please Apply Discount

List Price \$ 19.77
All Sizes with Standard EPDM Internal O-Rings

List Price \$ 23.69
SPECIAL ORDER VITON Internals

QJ363C

PART NUMBER		NUMBER OF SPRAY OUTLETS	TO FIT HOSE I.D.
SINGLE	DOUBLE		
QJ363C-500-1-NYB	QJ363C-500-2-NYB	3	1/2"
QJ363C-750-1-NYB	QJ363C-750-2-NYB	3	3/4"
QJ363C-1000-1-NYB	QJ363C-1000-2-NYB	3	1"



List Price \$ 19.77
All Sizes with Standard EPDM Internal O-Rings

List Price \$ 23.69
SPECIAL ORDER VITON Internals

QJ364C

PART NUMBER		NUMBER OF SPRAY OUTLETS	TO FIT HOSE I.D.
SINGLE	DOUBLE		
QJ364C-500-1-NYB	QJ364C-500-2-NYB	4	1/2"
QJ364C-750-1-NYB	QJ364C-750-2-NYB	4	3/4"
QJ364C-1000-1-NYB	QJ364C-1000-2-NYB	4	1"



List Price \$ 19.77
All Sizes with Standard EPDM Internal O-Rings

List Price \$ 23.69
SPECIAL ORDER VITON Internals

QJ365C

PART NUMBER		NUMBER OF SPRAY OUTLETS	TO FIT HOSE I.D.
SINGLE	DOUBLE		
QJ365C-500-1-NYB	QJ365C-500-2-NYB	5	1/2"
QJ365C-750-1-NYB	QJ365C-750-2-NYB	5	3/4"
QJ365C-1000-1-NYB	QJ365C-1000-2-NYB	5	1"



Nozzle Bodies, Body Clamps, Nozzles

Quick TeeJet® Multiple Nozzle Bodies for Wet Booms



QJ360C Nozzle Body Series for Wet Booms

- Available with either 3, 4 or 5 spray positions for easy change of spray tips or quick boom flushing.
- Positive shutoff between each position.
- Maximum operating pressure of 300 PSI (20 bar).
- Available in 20 mm, 25 mm, 1/2", 3/4" or 1" pipe connections.
- Includes ChemSaver® diaphragm check valve for drip-free shutoff.
- Standard EPDM diaphragm with Viton® available as an option.
- 2.25 GPM (8.5 l/min) with 5 PSI (0.34 bar) pressure drop.



**List Price
Please Apply Discount**

List Price \$ 15.81
All Sizes with Standard
EPDM Internal O-Rings

List Price \$18.22
SPECIAL ORDER
VITON Internals



Nozzle Bodies, Body Clamps, Nozzles



QJ363C



QJ364C



QJ365C

PART NUMBER	NUMBER OF SPRAY OUTLETS	TO CLAMP ON
QJ363C-20mm-NYB	3	20 mm Tubing
QJ363C-25mm-NYB	3	25 mm Tubing
QJ363C-1/2-NYB	3	1/2" Pipe
QJ363C-3/4-NYB	3	3/4" Pipe
QJ363C-1-NYB	3	1" Pipe

PART NUMBER	NUMBER OF SPRAY OUTLETS	TO CLAMP ON
QJ364C-20mm-NYB	4	20 mm Tubing
QJ364C-25mm-NYB	4	25 mm Tubing
QJ364C-1/2-NYB	4	1/2" Pipe
QJ364C-3/4-NYB	4	3/4" Pipe
QJ364C-1-NYB	4	1" Pipe

PART NUMBER	NUMBER OF SPRAY OUTLETS	TO CLAMP ON
QJ365C-20mm-NYB	5	20 mm Tubing
QJ365C-25mm-NYB	5	25 mm Tubing
QJ365C-1/2-NYB	5	1/2" Pipe
QJ365C-3/4-NYB	5	3/4" Pipe
QJ365C-1-NYB	5	1" Pipe

Quick TeeJet® Triple and Single Nozzle Bodies for Wet Booms



24216A

List Price
All Sizes
\$ 21.18

List Price
Please Apply Discount

Type 24216A-NYB

- Can be mounted to 1/2", 3/4" or 1" pipe or equivalent size tubing.
- Provides three spray positions for easy change of spray tips.
- Shutoff position provided between each spray position.
- Features ChemSaver® drip-free shutoff. Requires 10 PSI (0.7 bar) at the nozzle to open check valve.
- Standard diaphragm of EPDM with optional Viton® available.
- Maximum operating pressure of 150 PSI (10 bar).
- 1/2" and 3/4" sizes include mounting hole in upper clamp subassembly for attachment to flat surfaces.
- Mounts to a 3/8" (9.5 mm) hole drilled in pipe or tubing.

PART NUMBER	TO CLAMP ON
24216A-1/2-NYB	1/2" Pipe
24216A-3/4-NYB	3/4" Pipe
24216A-1-NYB	1" Pipe



QJ22187

List Price
All Sizes
\$ 10.32

Type QJ22187-NYB

- Can be mounted to 1/2", 3/4" or 1" pipe or equivalent size tubing.
- 1/2" and 3/4" sizes include a mounting hole in clamp subassembly for mounting to flat surfaces.
- Allows side mounting to flat surface for protection of nozzle body.
- Features ChemSaver drip-free shutoff. Requires 10 PSI (0.7 bar) at the nozzle to open check valve.
- Standard diaphragm of EPDM with optional Viton available.
- Mounts to a 3/8" (9.5 mm) hole drilled in pipe or tubing.
- Maximum operating pressure of 300 PSI (20 bar).

PART NUMBER	TO CLAMP ON
QJ22187-1/2-NYB	1/2" Pipe
QJ22187-3/4-NYB	3/4" Pipe
QJ22187-1-NYB	1" Pipe



QJ17560A

List Price
EPDM \$4.41
*Viton \$5.41
*Special Order

Type QJ17560A-NYB

- Can be mounted to 20 mm, 25 mm, 1/2", 3/4" or 1" pipe or equivalent size tubing.
- Features ChemSaver drip-free shutoff. Requires 10 PSI (0.7 bar) at the nozzle to open check valve.
- Standard diaphragm of EPDM with optional Viton available.
- Mounts to a 3/8" (9.5 mm) hole drilled in pipe or tubing.
- Maximum operating pressure of 300 PSI (20 bar).
- 1/2" and 3/4" sizes include a mounting hole in upper clamp subassembly for mounting to flat surfaces.

PART NUMBER	TO CLAMP ON
QJ17560A-20mm-NYB	20 mm Tubing
QJ17560A-25mm-NYB	25 mm Tubing
QJ17560A-1/2-NYB	1/2" Pipe
QJ17560A-3/4-NYB	3/4" Pipe
QJ17560A-1-NYB	1" Pipe



QJ7421

List Price
All Sizes
\$ 3.97

Type QJ7421-NYB

- Can be mounted to 1/2", 3/4" or 1" pipe or equivalent size tubing.
- Mounts to a 3/8" (9.5 mm) hole drilled in pipe or tubing.
- Maximum operating pressure of 300 PSI (20 bar).
- 1/2" and 3/4" sizes include a mounting hole in upper clamp subassembly for mounting to flat surfaces.

PART NUMBER	TO CLAMP ON
QJ7421-1/2-NYB	1/2" Pipe
QJ7421-3/4-NYB	3/4" Pipe
QJ7421-1-NYB	1" Pipe

Nozzle Bodies, Body Clamps, Nozzles

Quick TeeJet® Adapters and Accessories



QJ1/4T-NYB List Price \$ 2.68

- Allows use of Quick TeeJet system with 1/4" NPT and BSPT male connections.
- Maximum operating pressure of 300 PSI (20 bar).

PART NUMBER	TO FIT
(B)QJ1/4T-NYB	1/4" (F) thread

(B)=BSPT



QJT-NYB List Price \$ 5.04

- Permits use of Quick TeeJet system with standard 1 1/16"-16 TeeJet thread.
- Maximum operating pressure of 300 PSI (20 bar).

PART NUMBER	TO FIT
QJT-NYB	1 1/16"-16 TeeJet (F) thread

QJ1/4TT-NYB List Price \$ 2.68

- Allows use of Quick TeeJet system with 1/4" NPT and BSPT female connections.
- Maximum operating pressure of 300 PSI (20 bar).

PART NUMBER	TO FIT
(B)QJ1/4TT-NYB	1/4" (M) thread

(B)=BSPT



22674-1/4-NYB List Price \$ 2.68

- Allows use of Quick TeeJet system with 1/4" NPT female connections.

PART NUMBER	TO FIT
22674-1/4-NYB	1/4" (M) thread

QJT8360-NYB, QJP19011-NYB, QJ8360-NYB

- Retrofits to a Quick TeeJet system.
- Features ChemSaver® no-drip shutoff. Requires 10 PSI (0.7 bar) at the nozzle to open check valve.
- Standard diaphragm of EPDM with optional Viton® available upon request.
- Maximum operating pressure of 300 PSI (20 bar).

PART NUMBER	TO FIT
QJT8360-NYB	1 1/16"-16 TeeJet thread
QJP19011-NYB	3/8" BSPP thread
QJ(B)8360-NYB	1/4" (M) thread

List Price \$ 6.95

(B)=BSPT



QJ8355-NYB List Price \$10.23

- Allows use of Quick TeeJet system with 1/4" NPT male connections.
- Side mounting provides protection of the nozzle body.
- Features ChemSaver no-drip shutoff. Requires 10 PSI (0.7 bar) at the nozzle to open check valve.
- Standard diaphragm of EPDM with optional Viton available upon request.
- Maximum operating pressure of 300 PSI (20 bar).

PART NUMBER	TO FIT
QJ8355-NYB	1/4" (F)



Quick TeeJet® Caps for Hardi Nozzle Bodies

List Price 21398H-3 or 6-CELR \$ 1.15
 List Price 23306H-3 or 6-CELR \$ 1.15
 List Price 58348H- - CELR \$ 1.15

Color Code



Ordering Information

QUICK TEEJET CAPS	PART NUMBER		FOR USE WITH FLAT SPRAY TIPS 150 PSI (10 bar) MAXIMUM PRESSURE						
	QUICK TEEJET CAP ONLY	QUICK TEEJET CAP & SEAT GASKET SET	TJ TwinJet®	All TeeJet® & AIUB TeeJet®	SJ-3 StreamJet®	DG TurinJet®	Turbo TeeJet® Induction		
	CP21399-~CE	21398H-~CELR							
	CP23307-~CE	23306H-~CELR	TeeJet Flat Spray Tips (Smaller Capacities)						
			Standard -0067 Thru -08	XR -01 Thru -08	AIXR TeeJet®	DG TeeJet®	TT	OC TeeJet® -01 Thru -08	Turbo TwinJet®
	CP58350-~CE	58348H-~CELR	TK FloodJet®	FL FullJet®	TX ConeJet®	TG Full Cone	Hose Shank	AITXA	

Note: When using TeeJet tip strainer, use CP26227 gasket in place of CP23308 gasket.

Quick TeeJet® Caps

Color Code

1	2	3	4	5	6	7	8
Black	White	Red	Blue	Green	Yellow	Brown	Orange



Ordering Information

QUICK TEEJET CAPS	PART NUMBER		FOR USE WITH SPRAY TIPS
	QUICK TEEJET CAP ONLY	QUICK TEEJET CAP & SEAT GASKET SET	
	CP25611- * -NY \$ 0.72	25612- * -NYR \$ 1.02	TeeJet Flat Spray Tips (Smaller Capacities) Standard -0067 Thru -08 XR -01 Thru -08 DG -015 Thru -05 TT -01 Thru -08
	CP25611-9-PP†† \$ 0.92	25612-9-PP†† \$ 1.15	
	CP25609- * -NY \$ 0.84	25610- * -NYR \$ 1.15	TeeJet Flat Spray Tips (Larger Capacities) Standard -10 Thru -20 XR -10 Thru -15
	CP25597- * -NY \$ 0.84	25598- * -NYR \$ 1.15	TJ TwinJet® AI TeeJet® SJ-3 StreamJet®
	CP25595- * -NY \$ 0.84	25596- * -NYR \$ 1.15	TeeJet Flat Spray Tips (Smaller Capacities) Tips can be positioned in choice of two spray plane directions—parallel or perpendicular to wings of Quick TeeJet cap.
	CP25599- * -NY \$ 0.84	25600- * -NYR \$ 1.15	Turbo FloodJet® TK-VS FloodJet® Locating Nib VisiFlo® Spray Tip VisiFlo Spray Tip
	CP25607- * -NY \$ 0.84	25608- * -NYR \$ 1.15	TK FloodJet® FL FullJet® TX ConeJet® TG Full Cone Hose Shank
	CP25607-9-PP†† \$ 0.92	25608-9-PP†† \$ 1.15	
	CP25607- * -NY \$ 0.84	25608- * -NYR \$ 1.15	D-Disc Core Seal CP18999-EPR (EPDM standard) Used with DC-Core Inserts and CP4916 Flow Regulators (Insert Core into Seal) CP18999-VI (Viton® optional)
	—	QJ4676-45-1/4-NYR† \$ 4.38	 2-WAY ADAPTER # QJ90-2-NYR (less caps and tips) List \$ 4.38
	—	QJ4676-90-1/4-NYR† \$ 4.38	
	CP26277-1-NY† \$ 0.84	26278-1-NYR† \$ 1.27	Ceramic Disc-Core D-Disc Core
	—	QJ4676-1/8-NYB† \$ 3.85	Permits use of standard 1/8" and 1/4" nozzles. Can be used for mounting pressure gauge at the nozzle. See Data Sheet 20055 for more information.
	—	QJ4676-1/4-NYB† \$ 3.85	
	—	19843-NYR† \$ 2.18	Provides shutoff at nozzle for quick spacing change or change in spray swath.

*Specify color code (see chart). Unless otherwise specified, a yellow (6) cap will be supplied.

†These Quick TeeJet caps available only in black.

††Polypropylene Quick TeeJet caps available only in gray.

Quick TeeJet Cap



CP19438-EPR (EPDM Standard)
\$ 0.46
CP19438-VI (Viton Optional)
\$ 2.05

The Quick TeeJet caps are designed with grooves that fit locating lugs on the nozzle body. Caps are made of Nylon and are available for use with all TeeJet® spray tips. Maximum operating pressure of 300 PSI (20 bar).

How to order:

For cap and seat gasket set, specify set number and color code.

Example: 25612-3-NYR

For cap only, specify part number and color code.

Example: CP25597-4-NY

For seat gasket, specify part number.

Example: CP19438-EPR